

# HALLOWELL













## STEEL EQUIPMENT

**THIS IS A CATALOG—**  
Please put it in your reference file

Effective May 3, 1965

Subject to change without notice—supersedes all previous prices  
Shipped KD, except where indicated

ALL PRICES ARE F.O.B. WAREHOUSE

	CONTENTS	PAGE
	OPEN BENCHES	2
	UNIT BENCHES	2
	CABINET BENCHES	3
	FOREMEN'S DESKS	4
	RESEARCH & ENGINEERING STATIONS (R/E)	5
	STOOLS AND CHAIRS	6
	TOOL STANDS	6
	STORAGE CABINETS	7
	STORAGE WALLS	7
	LEG TABLES & FILES	8
	DESKS & CHAIRS	8
	HALLOWELL ERECTOMATIC SHELVING	9-10-11 12



# HALLOWELL STEEL EQUIPMENT



MODEL 600



MODEL 603

## OPEN WORK BENCHES

Hallowell open benches have full beaded, arc-welded, wide-stance legs with one-piece upright. Ribbed stringer for strength and stability. Bottom shelf has flanges at front and rear. Finished in ASA #49 Gray.

## OPEN BENCHES DIMENSIONS

MODEL 600			MODEL 603		
Catalog No.	Price	Approx. Ship. Wt. Lbs.	Catalog No.	Price	Approx. Ship. Wt. Lbs.
<b>Steel Top</b>					
600-S-429-33	\$33.80	86	603-S-429-33	\$39.30	108
600-S-436-33	37.90	104	603-S-436-33	43.40	121
600-S-529-33	36.55	96	603-S-529-33	43.05	122
600-S-536-33	40.05	119	603-S-536-33	46.55	141
600-S-629-33	39.10	109	603-S-629-33	46.60	140
600-S-636-33	44.10	136	603-S-636-33	51.60	162
<b>Presdwood-Covered Steel Top</b>					
600-M-429-33	47.65	98	603-M-429-33	53.15	115
600-M-436-33	55.90	126	603-M-436-33	61.40	143
600-M-529-33	54.50	113	603-M-529-33	61.00	134
600-M-536-33	60.35	146	603-M-536-33	66.85	168
600-M-629-33	57.90	127	603-M-629-33	65.40	153
600-M-636-33	64.80	162	603-M-636-33	72.30	189
<b>Laminated Maple Top (1 3/4" thick)</b>					
600-W-430-33	61.70	104	603-W-430-33	67.20	121
600-W-436-33	71.40	123	603-W-436-33	76.90	141
600-W-530-33	72.45	122	603-W-530-33	78.95	143
600-W-536-33	84.15	145	603-W-536-33	90.65	167
600-W-630-33	83.20	140	603-W-630-33	90.70	167
600-W-636-33	96.90	167	603-W-636-33	104.40	194
<b>Shoptop (1 1/2" thick)</b>					
600-R-430-33	46.50	93	603-R-430-33	52.00	110
600-R-436-33	52.00	109	603-R-436-33	57.50	123
600-R-530-33	52.45	108	603-R-530-33	58.95	130
600-R-536-33	60.55	127	603-R-536-33	67.05	145
600-R-630-33	59.30	123	603-R-630-33	66.80	150
600-R-636-33	69.40	143	603-R-636-33	76.90	168



MODEL 640



MODEL 643



MODEL 646

## UNIT BENCHES

Fully enclosed one-piece, all-welded pedestals. Front access only. Drawers have flush front, recessed handles, knockouts for cylinder locks (see bench accessories, page 3) and glide on nylon roller bearings. Cabinet pedestal has chrome-plated locking handle (2 keys provided). Door can be hinged on either right or left hand side. One shelf adjustable on 2" centers.

Available in three basic models. Model 640—one drawer and one cabinet pedestal; Model 643—two drawer pedestals and Model 646—two cabinet pedestals. Finished in ASA #49 Gray.


Note: Above benches include standard height pedestals with 2 1/4" base.

Length Feet	Depth Inches	Height Inches	Model 640		Approx. Ship. Wt. Lbs.	Model 643		Approx. Ship. Wt. Lbs.	Model 646		Approx. Ship. Wt. Lbs.
			Catalog No.	Price		Catalog No.	Price		Catalog No.	Price	
Steel Top											
5	29	33¼	640-S-529-33	\$128.90	226	643-S-529-33	\$151.90	262	646-S-529-33	\$105.90	191
6	29	33¼	640-S-629-33	131.20	239	643-S-629-33	154.20	274	646-S-629-33	108.20	203
Presdwood-Covered Steel Top											
5	29	33⅞	640-M-529-33	144.25	238	643-M-529-33	167.25	274	646-M-529-33	121.25	203
6	29	33⅞	640-M-629-33	147.40	251	643-M-629-33	170.40	287	646-M-629-33	124.40	216
Laminated Maple Top (1¼" thick)											
5	30	33	640-W-530-33	159.20	240	643-W-530-33	182.20	275	646-W-530-33	136.20	204
6	30	33	640-W-630-33	169.70	257	643-W-630-33	192.70	292	646-W-630-33	146.70	221
Shoptop (1½" thick)											
5	30	32¾	640-R-530-33	139.20	225	643-R-530-33	162.20	260	646-R-530-33	116.20	189
6	30	32¾	640-R-630-33	145.80	239	643-R-630-33	168.80	274	646-R-630-33	122.80	203





MODEL 610



MODEL 612

## CABINET BENCHES

All parts made from heavy gage steel. Four top materials. Shelf adjustable on 2" centers. Built in 2 3/4" toe space. Doors glide on inverted "U" tracks with nylon rollers and guides. Doors include locks. Finished in ASA #49 Gray.

## CABINET BENCHES DIMENSIONS


MODEL 610				MODEL 612			
Catalog No.	Price	Approx. Ship. Wt. Lbs.	Length Feet	Depth Inches	Height Inches	Catalog No.	Price
610-S-529	\$87.60	223	5	29	35 1/2	612-S-529	\$129.60
610-S-629	97.10	259	6	29	35 1/2	612-S-629	142.10
Presdwood-Covered Steel Top							
610-M-529	102.55	236	5	29	35 1/16	612-M-529	144.55
610-M-629	112.90	273	6	29	35 1/16	612-M-629	157.90
Laminated Maple Top (1 1/4" thick)							
610-W-530	120.50	244	5	30	35 3/4	612-W-530	162.50
610-W-630	138.20	285	6	30	35 3/4	612-W-630	183.20
Shoptop (1 1/2" thick)							
610-R-530	100.50	229	5	30	35	612-R-530	142.50
610-R-630	114.30	267	6	30	35	612-R-630	159.30

Extra Shelf  
5' long—6112-529.....\$11.90  
6' long—6112-629.....\$13.00

## BENCH ACCESSORIES



CYLINDER LOCK



DRAWERS




END PIECES



PORTABLE ADAPTER KIT




BACKBOARD



TOP SHELF



WIREMOLD ®



ELECTRICAL PANELS

**Drawers**—Individual or tier. All-welded construction, recessed pulls, and knockouts for cylinder locks. Each drawer glides on (4) nylon roller bearings for smooth, quiet operation. Have built-in stops and are removable from cover without the use of tools. Drawers can be mounted beneath tops of Cabinet and Open benches. Mounting kits must be specified to do this. Kit No. 1 for steel tops and Kit No. 2 for wood tops.

**End Pieces**—Furnished in pairs—one right—and one left hand, have holes for attaching to backboard.

**Top Shelf**—Fits all tops. Keeps tool boxes, parts, etc. off work surface. (Clear height under shelf is 10 3/4".)

**Wiremold®**—Continuous outlet sections equipped with 15A-125V black three-prong receptacles every 6". May be installed vertical or horizontal to work surface.

**Electrical Panels**—For mounting to bench top. Equipped with knockouts on each side for standard electrical boxes and receptacles. Also knockouts at each end for cable connections.

**Backboard**—Runs full length of bench top. 4 1/2" high.

**Cylinder Lock**—Fits all individual or enclosed drawers. Easily installed. Has satin finish and is master keyed.


**Portable Adapter Kit**—Converts standard open work bench into a completely portable unit. Consists of four 4" diameter swivel casters with rubber or steel treads and mounting brackets.

## BENCH ACCESSORIES

Description	Dimensions			Catalog No.	Price Each	Approx. Ship. Wt. Lbs.
	Length Inches	Height Inches	Depth Inches			
Individual Drawer	14	5	20	301-1420	\$12.30	15
	20	5	20	301-2020	13.80	19
Enclosed Tier Drawer	14	5	20	320-1420	13.80	19
	20	5	20	320-2020	15.20	25
Drawer Mounting Kits	—	—	—	1-29	1.15	3
	—	—	—	1-36	1.15	3.8
	—	—	—	No. 2	N.C.	.25
Backboard	4'	4 1/4	—	6416-4	3.00	5.1
	5'	4 1/4	—	6416-5	3.40	6.4
	6'	4 1/4	—	6416-6	3.80	7.4
End Pieces for Model 600S Open Bench	—	3	23 1/2	6120-24	2.50 pr.	2
	—	3	29	6120-29	2.50 pr.	3
	—	3	36	6120-36	3.40 pr.	3.5
For all other benches	—	4 1/2	23 1/2	6122-24	2.70 pr.	3
	—	4 1/2	29	6122-30	2.70 pr.	3.8
	—	4 1/2	36	6122-36	3.70 pr.	4.3
Top Shelf	4'	12	10	6024-4	10.70	25
	5'	12	10	6024-5	12.10	30
	6'	12	10	6024-6	12.75	35
Wiremold ®	49 3/8	1 1/4	3/4	6025-4	10.70	2.5
	61 3/8	1 1/4	3/4	6025-5	13.50	3
	73 3/8	1 1/4	3/4	6025-6	16.30	3.5
Electrical Panel	4'	7 1/16	6	1040-4	15.00	26
	5'	7 1/16	6	1040-5	15.90	29
	6'	7 1/16	6	1040-6	16.80	39
Cylinder Lock	—	—	—	3000	1.55	.12
Portable Kit	—	—	—	P30R	34.50	25
	—	—	—	P30S	26.50	28

NOTE: All metal parts are finished in ASA #49 Gray.





### PORTABLE OPEN BENCH

Non-swivel steel casters for easy mobility. Handles automatically drop out of the way when not in use. Backboard and end pieces prevent tools and parts from rolling off top. Stable enough to permit the use of a vise or other hand tools. Finished in ASA #49 Gray.

Catalog No. 631—Semi-Portable Bench—\$70.40 (steel tread), \$77.40 (rubber tread)


Components —6' x 29" deep steel top—one 29" high, and one 33" high bench leg—6" stringer, lower shelf, backboard, end pieces, and SP kit. Approx. shipping wts.—167 lbs. (steel tread), 165 lbs. (rubber tread)



### BENCH LEGS

One-piece heavy steel uprights with rugged all-welded construction for maximum strength and stability. Upper and lower cross members have slots on 3" centers for attaching tops and accessories. ASA #49 Gray.

Height Inches	For Benches Depth Inches	Catalog No.	Price Each	Approx. Ship. Wt. Lbs.
33½	30	6005-3328	\$6.30	15
33½	36	6005-3334	6.90	17
31¼	30	6005-3128	6.30	14
31¼	36	6005-3134	6.90	17



### ENCLOSED PORTABLE WORK BENCH

All-welded steel construction gives these benches the ability to take the rugged treatment that mobility demands. Combination handle and shelf for mounting vise, grinding wheel or other accessories. One intermediate shelf adjustable on 2" centers. Doors have continuous hinges for accurate fit, recessed handle, two-point lock rods and cylinder lock. Two swivel and two non-swivel rubber casters. Retractable foot-operated locking device optional. Finished in ASA #49 Gray.

Catalog No.	Description	Price	Approx. Ship. Wt. Lbs.
634-2448-S	No locks, steel casters	\$270.00	233 *
634-2448-R	No locks, rubber casters	293.00	231 *
636-2448-S	With locks, steel casters	305.00	253 *
636-2448-R	With locks, rubber casters	328.00	251 *

\*Shipped set-up.

### FOREMEN'S DESKS



MODEL 400-43



MODEL 409-43


Each unit has pigeonhole top with smooth box-flanged tops with 34½" wide by 30" deep writing surface. Drawer glides on roller bearings, has standard cylinder lock. Dimensions: 28" wide, 3" high and 24" deep. Finished in ASA #49 Gray.

MODEL 400-43 has four legs and adjustable lower shelf (14" deep).

MODEL 409-43 has enclosed cabinet base with shelf adjustable on 2" centers. Reinforced double doors have three-point locking (top, bottom and center), and chrome plated locking handle (two keys provided).

Description	Catalog No.	Dimensions			Price Each	Approx. Ship. Wt. Lbs.
		Width Inches	Height Inches	Depth Inches		
Open-Type	400-43	34½	52¾	30	\$ 51.50	96
Cabinet-Type	409-43	34½	52¾	30	85.00	170

### STEEL CART



MODEL 740

Carries everything from stationery and supplies to tools and dies. Detachable handle may be used at either end. Sturdy 5" rubber casters (two swivel and two rigid). Carries up to 500 pounds. Extra trays available. Finished in ASA #49 Gray.




Description	Dimensions			Catalog Number	Price	Approx. Ship. Wt. Lbs.
	Width Inches	Height Inches	Depth Inches			
2 Trays, Rubber Casters	16	32¼	30	740-1630	\$29.50	41.5
	24	32¼	36	740-2436	35.20	66.5
Extra Tray	16	3	30	7410-	14.60 pr.	26
	24	3	32	7420-	18.20 pr.	50



## RESEARCH AND ENGINEERING STATIONS R/E



Custom installations from standard components offer a unique advantage in versatility. From a wide selection of tops and storage bases containing a variety of space divisions, these units can be keyed to virtually any laboratory operation. Widely used in gage rooms, tool rooms, research and engineering areas. Provide maximum security with locks.




### TOPS



LAMINATED MAPLE




SHOPTOP




SELF-EDGED LAMINATED PLASTIC

Are available in three types, one depth and two lengths. *Laminated Maple*—uniform laminations of selected maple hardwood electronically glued and reinforced. *Shoptop*—tough splinter-proof uniform particles of kiln-dried wood bonded with resins under pressure and heat. *Self-edged Laminated Plastic*—permanently fastened to a special core, scientifically stabilized to prevent size or shape changes. Color is gray.

### STORAGE BASES



Cabinet



Six Drawers



Two Drawers




Seven Drawers



Three Drawers



Ten Drawers




Four Drawers



End Panel

All bases are 28 $\frac{3}{8}$ " h. and 28 $\frac{1}{2}$ " d


### DRAWERS



Utility Drawer



Storage Drawer



File Drawer

Are available in three types. Utility, 2" high, Storage, 4 $\frac{5}{8}$ " high and File 10 $\frac{3}{4}$ " high. Storage and file drawers glide smoothly on progressive cradle-type suspension with rubber stops. Utility drawer glides on nylon pads for smooth operation.

Tops—all are 30" deep

Description	Length Feet	Catalog No.	Price	Approx. Ship. Wt. Lbs.
Laminated Maple—1 $\frac{3}{4}$ " Thick	5	7500-W-530	\$56.50	87
	6	7500-W-630	67.00	104
Shoptop—1 $\frac{3}{4}$ " Thick	5	7500-RW-530	42.50	85
	6	7500-RW-630	49.75	102
Self-Edged Laminated Plastic	5	7500-SE-530	66.50	50
	6	7500-SE-630	79.20	60

Storage Bases—28 $\frac{3}{8}$ " High, 28 $\frac{1}{2}$ " Deep

Description	Width Inches	Catalog No.	Price	Approx. Ship. Wt. Lbs.
Cabinet—Hinged Right or Left	17 $\frac{3}{4}$	7501 R or L	\$78.50	72 *
Two Drawers	17 $\frac{3}{4}$	7502-7	75.50	98 *
Three Drawers	17 $\frac{3}{4}$	7503-7	104.00	110 *
Four Drawers	17 $\frac{3}{4}$	7504-7	132.00	132 *
Six Drawers	17 $\frac{3}{4}$	7506-7	125.50	118 *
Seven Drawers	17 $\frac{3}{4}$	7507-7	153.50	130 *
Ten Drawers	17 $\frac{3}{4}$	7510-7	178.00	138 *
End Panel	29	7512	33.50	35 *

Locks optional at extra cost.

\*Shipped set-up.

### BAKED ON ENAMEL FINISHES—R/E STATIONS

ASA #49 Gray is standard.




## STOOLS AND CHAIRS

Sturdy double angle steel legs with 14" diameter steel or presd-wood-covered steel seats and steel glides. All-welded steel construction finished in ASA #49 Gray. Rubber leg caps, Steel and Plywood backrests and cushions available.



Description And Model No.	Seat Height Inches	Catalog No.	Price Each	Approx. Ship. Wt. Lbs.
Model 200 Steel Seat	18	200-S-18	\$ 4.80	7.1 *
	22	200-S-22	4.90	8.1 *
	24	200-S-24	5.00	8.2 *
	26	200-S-26	5.20	9.0 *
	30	200-S-30	7.20	11.2 *
Model 200 Presdwood Seat	18	200-M-18	5.70	7.7 *
	22	200-M-22	5.80	8.7 *
	24	200-M-24	5.90	8.8 *
	26	200-M-26	6.10	9.6 *
	30	200-M-30	8.10	11.8 *
Model 220 Filing Stool	14	220-M	11.50	9.8 *
Model 230 Steel Seat Adjustable	18-22	230-S-18	6.90	8.6 *
	22-26	230-S-22	7.20	9.6 *
Model 230 Presdwood Seat Adjustable	18-22	230-M-18	7.80	9.2 *
	22-26	230-M-22	8.10	10.2 *
Model 232 Knocked Down Adjustable KD Package Steel (S) and Presdwood (M) Seats (6 per pkg.)	18-22	232-S-1822	38.50 pkg.	63
	18-22	232-M-1822	43.90 pkg.	67
	23-27	232-S-2327	40.00 pkg.	69
	23-27	232-M-2327	45.40 pkg.	73
	28-32	232-S-2832	46.25 pkg.	86
Model 241 Revolving Seat Adjustable	17-21	241-R-17	19.60	17.5 *
	22-26	241-R-22	24.00	20.6 *
	27-31	241-R-27	24.60	22.1 *
Rubber Leg Caps for Models 200, 206, 230, 233 and 232	—	2060	.80 set	.12
Same as Above Except with Steel Glide Insert	—	2060-S	1.00 set	.25
Backrest Cushion Vinyl and Fiber (F)	—	2030	3.60	.8
Round Seat Cushion Vinyl and Fiber (F)	—	2032	4.50	1.9
Model 2000 Backrest Clamp back, Straight Rod	—	2000-S (Steel)	for 200,	2.10
	—	2000-W (Wood)	230, 232	3.10
Model 2020 Backrest Hinged back, Straight Rod	—	2020-S (Steel)	for 200,	2.85
	—	2020-W (Wood)	230, 232	3.80
Model 2022 Backrest Hinged back, Curved Rod	—	2022-W (Wood)	for 241	4.20

\*Shipped set-up.




MODEL 422

## CARRY TOOLS

Two drawers in all-welded single unit steel case, each 14" wide, 5" high and 20" deep. Flanged trays have beaded edge for safety with welded corners for strength. Trays can be inverted for smooth flat surface. Rubber or steel casters available. Finished in ASA #49 Gray.

Description	Dimensions			Model Number	Price	Approx. Ship. Wt. Lbs.
	Width Inches	Height Inches	Depth Inches			
Rubber Casters	18	35 1/4	24	422-1824-R	\$35.00	67
Steel Casters	18	35 1/4	24	422-1824-S		67

## TOOL STORAGE CABINETS



Model 1072

Heavy gage steel pegboards enclosed in a smooth dust-free cabinet. Holes will not wear out or tear across perforations. Front pegboard panels are recessed 4 1/2" to permit use of both sides. Handles have built-in lock, 2 keys provided. Holes pierced on 1" centers.

Wall Cabinet—total pegboard surface 24 sq. ft. Floor Cabinet No. 1074-3625 has 65 sq. ft. pegboard surface.

Tool storage wall panels, peg hooks and check hooks available.

All metal surfaces finished in ASA #49 Gray.

Description	Dimensions			Catalog Number	Price	Approx. Ship. Wt. Lbs.
	Width Inches	Height Inches	Depth Inches			
Wall Cabinet	36	37	13	1072-3613	\$105.00	106
Floor Cabinet	36	75	25	1074-3625	230.00	302
Perforated Wall Panel	17 3/8	33 3/8	—	1076	10.50	18
	34 3/4	33 3/8	—	1077	20.00	33
Peg Hooks	—	—	—	1078	7.50 pkg.*	3
Check Hooks	—	—	—	1079	5.00 pkg.*	1

\*25 per package

## TOOL STANDS




MODEL 432

Have flanged trays with beaded edge and fully welded reinforced corners for strength. Double angle legs for added rigidity—only one bolt and nut per tray corner. Trays can be inverted for flat smooth surface. Standard without casters—rubber or steel tread casters available. Finished in ASA #49 Gray.

Description	Dimensions			Model Number	Price	Approx. Ship. Wt. Lbs.
	Width Inches	Depth Inches	Height Inches			
2 Trays, No Drawer No Casters	18	24	32	420-1824	\$13.00	26
2 Trays, No Drawer Rubber Casters	18	24	35 1/4	420-1824-R	16.80	31
2 Trays, No Drawer Steel Casters	18	24	35 1/4	420-1824-S	16.80	31
3 Trays, No Drawer No Casters	18	24	32	430-1824	17.00	37
3 Trays, No Drawer Rubber Casters	18	24	35 1/4	430-1824-R	20.80	39
3 Trays, No Drawer Steel Casters	18	24	35 1/4	430-1824-S	20.80	39
3 Trays, 1 Drawer No Casters	18	24	32	432-1824	30.80	51.5
3 Trays, 1 Drawer Rubber Casters	18	24	35 1/4	432-1824-R	34.60	53.5
3 Trays, 1 Drawer Steel Casters	18	24	35 1/4	432-1824-S	34.60	53.5
3 Trays, No Drawer No Casters	24	36	32	450-2436	26.00	87
3 Trays, No Drawer Rubber Casters	24	36	35 1/4	450-2436-R	30.20	89
3 Trays, 1 Drawer No Casters	24	36	32	452-2436	39.80	101.5
3 Trays, 1 Drawer Rubber Casters	24	36	35 1/4	452-2436-R	44.00	103.5

## WALL CABINET



MODEL 330-1224

Completely welded enclosed construction. Two shelves adjustable on 2" centers. Height adjustment range: from bottom of cabinet 4 1/2" to 24 1/2". Steel back panel is pierced for mounting and top is sloping to facilitate cleaning. Shipped set up.

Dimensions:

Top: 24" wide, 12" deep.

Height: Front 30" Back 33" \$36.00





Model 470



Model 480

## INDUSTRIAL CABINETS

One-piece sides and back extends 2" above work surface. Shelf support strips integral part of cabinet. Chrome plated locking handle, 2 keys provided. Available with detachable feet standard. 3" plain steel or rubber tread swivel casters convert these cabinets into portable units.

**MODEL 470** Single door—three adjustable shelves.

**MODEL 480** Double doors—one adjustable shelf.


Finished in ASA #49 Gray.

Description	Dimensions			Catalog	Price	Approx. Ship. Wt. Lbs.
	Width Inches	Height Inches	Depth Inches			
Single Door, No Casters	21	34	15 $\frac{3}{8}$	470-1521	\$31.50	60
Single Door, Rubber Casters	21	34	15 $\frac{3}{8}$	472-1521-R	38.00	67
Single Door, Steel Casters	21	34	15 $\frac{3}{8}$	472-1521-S	36.20	69
Extra Shelf	20 $\frac{7}{8}$	—	13	4700	2.00	8
Double Door, No Casters	36	35 $\frac{1}{2}$	24 $\frac{1}{2}$	480-2436	49.50	120
Double Door, Rubber Casters	36	35 $\frac{1}{2}$	24 $\frac{1}{2}$	482-2436-R	55.50	126
Double Door, Steel Casters	36	35 $\frac{1}{2}$	24 $\frac{1}{2}$	482-2436-S	53.70	128
Extra Shelf	35 $\frac{7}{8}$	—	22	4800	7.00 pr.	10 pr.

## STORAGE WALLS



12 DRAWERS



18 DRAWERS



24 DRAWERS

To store and catalog small parts, tools, dies, gages, electrical components and other small items. Available with 12, 18 and 24 drawers. Cases are all welded wrap-around design and are embossed for stacking. Drawers have integral pull and embossed, unslotted sides. Can also be mounted in shelving units or beneath tops of workbenches. Two depths available. Finished in ASA #49 Gray.


Description	Dimensions			Catalog Number	Price	Approx. Ship. Wt. Lbs.
	Width Inches	Height Inches	Depth Inches			
12 Drawers †	33 $\frac{3}{4}$	10 $\frac{1}{2}$	11 $\frac{1}{4}$	11123	\$29.00	43 *
	33 $\frac{3}{4}$	10 $\frac{1}{2}$	17 $\frac{1}{4}$	17123	33.50	58 *
18 Drawers †	33 $\frac{3}{4}$	10 $\frac{1}{2}$	11 $\frac{1}{4}$	11183	30.50	45 *
	33 $\frac{3}{4}$	10 $\frac{1}{2}$	17 $\frac{1}{4}$	17183	36.00	60 *
24 Drawers †	33 $\frac{3}{4}$	10 $\frac{1}{2}$	11 $\frac{1}{4}$	11244	36.00	50.5 *
	33 $\frac{3}{4}$	10 $\frac{1}{2}$	17 $\frac{1}{4}$	17244	42.00	70 *
Divider for 12 Drawer	7 $\frac{7}{8}$	2 $\frac{1}{2}$	—	83	.15**	.16
Divider for 18 Drawer	5 $\frac{3}{16}$	2 $\frac{1}{2}$	—	53	.15**	.10
Divider for 24 Drawer	5 $\frac{3}{16}$	1 $\frac{1}{8}$	—	52	.10**	.07
Mounting Kits for beneath Steel and Wood Tops	—	—	24	A24	8.90	17.4
	—	—	29	A29	8.90	17.9
	—	—	36	A36	8.90	18.5
	—	—	All	B	8.00	9

\*\*Packaged 50 per package.


†(2) dividers per drawer.

\*Shipped set-up.


## STORAGE CABINETS




MODEL 815



MODEL 835



MODEL 855



MODEL 865

Made from cold-rolled heavy-gage steel. All parts precision sheared and formed. No exposed bolt heads in sides and front. Chrome plated locking handles with built-in locks. Three-point locking—shelves adjust on 2" increments. ASA #49 Gray.

**MODEL 815**—Storage—four adjustable shelves.

**MODEL 835**—Wardrobe—holds 12 to 16 heavy coats.

**MODEL 855**—Combination—wardrobe and storage—four shelves.

**MODEL 865**—Counter—two adjustable shelves.

Description	Dimensions			Catalog Number	Price K.D.	Approx. Ship. Wt. Lbs.
	Width Inches	Height Inches	Depth Inches			
Storage	36	78	18	815-3618	\$67.00	175
	36	78	24	815-3624	77.50	207
Wardrobe	36	78	18	835-3618	61.00	150
	36	78	24	835-3624	70.00	182
Combination	36	78	18	855-3618	74.00	177
	36	78	24	855-3624	82.50	210
Counter	36	42	18	865-3618	59.00	109
	36	42	24	865-3624	65.00	133



## DESKS

Heavy reinforced, unitized all-welded construction. Precision tooling and Hallowell's modern production methods make these desks an outstanding value.

### CHECK THESE FEATURES:

- All nylon drawer glides
- File drawer has smooth operating full progressive suspension
- All drawers are interchangeable—File drawer can be located in top or bottom position of left or right pedestal
- Spacious center drawer secures all drawers when locked
- Reference shelf in each pedestal
- Attractive satin finish, aluminum drawer handles and legs
- Durable, and attractive Majestic Gray baked-on enamel finish
- Gray linoleum top—smooth non-glare writing surface



**DOUBLE PEDESTAL DESK**



**SINGLE PEDESTAL DESK**  
(pedestal on right)

Description	Dimensions (inches)			Catalog Number	Price	Approx. Ship. Wt. Lbs.
	Width	Height	Depth			
Double Pedestal	60	29	30	H2-6030-DP-9-426	\$165.00	255 *
Single Pedestal [(pedestal on right (SPR) or left (SPL)]	46	29	30	H2-4630-SPR-9-426 H2-4630-SPL-9-426	\$135.00	187 *

\*Shipped set-up.


## FILING CABINETS

Hallowell filing cabinets are constructed for convenience and strength. Drawers open and close with heavy duty cradle progressive suspension. All parts move on wide flat roller and ball bearings. Cabinet faces are completely finished at corners by oxy-acetylene welding then skillfully ground to mirror-like smoothness. All drawers have positive locking side-arm compressor. Finished in Majestic Gray baked-on enamel.


Description	Catalog Number	Dimensions* (inches)			Price Each	Approx. Ship. Wt. Lbs.
		Wide	High	Deep		
Four Drawer File	H154-9	14¾	52	28½	\$90.50	156 *
Same with lock	H154L-9				106.50	
Two Drawer File	H152-9	14¾	29	28½	62.95	96 *
Same with lock	H152L-9				78.40	

\* Inside Drawer Dimensions: 12¼" W., 10¾" H., 27¾" D.

\*Shipped set-up.




**H154-9**



**H152-9**

## TYPEWRITER CONVERSION UNIT

Quickly converts any double or single pedestal desk to a secretarial typewriting unit. Fits on right or left-hand side—clamps to cross brace between slide leaf and box drawer—gives sturdy vibration-proof support to the heaviest machine, solid steel back panel. Unit is 16" deep, 25" long and 26" from floor—Linoleum top matches desk.




**CATALOG NO.—HOTC25-9-426 \$46.00**

Approx. Shipping Weight: 30 lbs.

## LEG TABLES

Same fine construction as desks. Each has one drawer—20⅞" W., 2½" H., and 17¼" D. inside. Equipped with protective plastic leg caps. Adjustable 29" to 30" high. Finished in Majestic Gray baked-on enamel with gray linoleum top.



Catalog Number	Top Size	Price	Approx. Ship. Wt. Lbs.
HT60-9-426	60" x 30"	\$116.00	110
HT46-9-426	46" x 30"	99.50	85

## CHAIRS

Moderately priced fine contour chairs featuring foam seats and all welded frames. Controlled comfort angle between seat and back puts you at ease. Features include attractive die-cast aluminum base and wide-spread sculptured arm rests. Frames are finished in Majestic Gray baked-on enamel with gray washable elastic vinyl upholstery. All chairs are shipped set up.



**MODEL HJS46-9-114**

Swivel Arm Chair \$70.00  
Approx. Ship. Wt.: 48 lbs.



**MODEL HJS66-9-114**

Side Arm Chair \$46.50  
Approx. Ship. Wt.: 28 lbs.



**MODEL HGS86-9-114**

Guest Chair \$26.00  
Approx. Ship. Wt.: 40 lbs.\*




**MODEL HPS76-9-114**

Secretary Posture Chair \$37.95  
Approx. Ship. Wt.: 27 lbs.

\*Model HGS86 is packed 2 per carton. Add \$1.50 for single packing—Shipping Wt. for one chair is 22 lbs.






## CHOOSE FROM TWO TYPES OF ERECTOMATIC

### ERECTOMATIC

... For maximum adjustability, two full depth shelf supports; self-contained locking mechanism pivots to hold shelf in place. Installation can be completed while light loads remain on the shelf.



### ERECTOMATIC CLIP

... For practical adjustability, four compact clips fit snug against side post, hold shelf in place. Installation is fast, readjustment easy.

## HOW TO ORDER SHELVING UNITS

Catalog numbers consisting of:

1. One of the following Key Letters

"C"—Erectomatic Clip Individual or Starting Unit

"CI"—Erectomatic Clip Adjoining Unit

"E"—Erectomatic Individual or Starting Unit

"EI"—Erectomatic Adjoining Unit

2. The Model Number (Example #523)


3. The Depth

Example:


1. Key Letter—Erectomatic Clip Shelving Individual or Starting Unit **C** 523 18
2. Model Number—Closed type 36" wide, 7'3" high with eight shelves
3. Depth of Unit—18" deep

## SHELVING OPEN


**MODEL 512**  
7 adj. shelves  
12", 18" and 24" deep



**MODEL 513**  
8 adj. shelves  
12", 18" and 24" deep



**MODEL 514**  
9 adj. shelves  
12", 18" and 24" deep



MODEL NO.	TYPE	Depth Inches	INDIVIDUAL or STARTING UNITS			ADJOINING UNITS		
			Catalog Number	Price Each	Approx. Shipping Wt.	Catalog Number	Price Each	Approx. Shipping Wt.
512	Erectomatic Clip	12	C-512-12	\$37.04	95	CI-512-12	\$32.72	86
		18	C-512-18	42.32	120	CI-512-18	37.82	108
		24	C-512-24	48.77	148	CI-512-24	44.02	135
	Erectomatic	12	E-512-12	39.75	102	EI-512-12	35.45	93
		18	E-512-18	45.96	130	EI-512-18	41.46	118
		24	E-512-24	53.11	161	EI-512-24	48.36	148
513	Erectomatic Clip	12	C-513-12	39.80	103	CI-513-12	35.48	94
		18	C-513-18	45.78	132	CI-513-18	41.28	120
		24	C-513-24	53.08	163	CI-513-24	48.33	150
	Erectomatic	12	E-513-12	42.90	111	EI-513-12	38.60	102
		18	E-513-18	49.94	143	EI-513-18	45.44	131
		24	E-513-24	58.04	178	EI-513-24	53.29	165
514	Erectomatic Clip	12	C-514-12	42.56	110	CI-514-12	38.24	103
		18	C-514-18	49.24	144	CI-514-18	44.74	142
		24	C-514-24	57.39	178	CI-514-24	52.64	165
	Erectomatic	12	E-514-12	46.05	119	EI-514-12	41.75	112
		18	E-514-18	53.92	156	EI-514-18	49.42	144
		24	E-514-24	62.97	195	EI-514-24	58.22	182



## SHELVING CLOSED AND BIN

**MODEL 522**  
7 adj. shelves  
12", 18" and 24" deep



**MODEL 523**  
8 adj. shelves  
12", 18" and 24" deep



**MODEL 524**  
9 adj. shelves  
12", 18" and 24" deep



All units are 7'3" high and 36" wide  
in the following depths with  
Class 0 shelves . . . Other sizes  
and classes available.

**MODEL 530**  
12", 18" and 24" deep  
14 openings 18" x 12"



**MODEL 531**  
12", 18" and 24" deep  
21 openings 12" x 12"



**MODEL 537**  
12", 18" and 24" deep  
16 openings 4" x 9"  
88 openings 4" x 6"



MODEL NO.	TYPE	Depth Inches	INDIVIDUAL or STARTING UNITS			ADJOINING UNITS		
			Catalog Number	Price Each	Approx. Shipping Wt.	Catalog Number	Price Each	Approx. Shipping Wt.
522	Erectomatic Clip	12	C-522-12	\$45.94	130	CI-522-12	\$41.14	115
		18	C-522-18	53.04	161	CI-522-18	47.04	141
		24	C-522-24	61.89	195	CI-522-24	54.19	170
	Erectomatic	12	E-522-12	48.67	137	EI-522-12	43.87	122
		18	E-522-18	56.68	170	EI-522-18	50.68	150
		24	E-522-24	66.23	208	EI-522-24	58.53	183
523	Erectomatic Clip	12	C-523-12	48.70	138	CI-523-12	43.90	123
		18	C-523-18	56.50	172	CI-523-18	50.50	152
		24	C-523-24	66.20	210	CI-523-24	58.50	185
	Erectomatic	12	E-523-12	51.82	146	EI-523-12	47.02	131
		18	E-523-18	60.66	183	EI-523-18	54.66	163
		24	E-523-24	71.16	225	EI-523-24	63.46	200
524	Erectomatic Clip	12	C-524-12	51.46	147	CI-524-12	46.66	132
		18	C-524-18	59.96	184	CI-524-18	53.96	164
		24	C-524-24	70.51	225	CI-524-24	62.81	200
	Erectomatic	12	E-524-12	54.97	156	EI-524-12	50.17	141
		18	E-524-18	64.64	196	EI-524-18	58.64	176
		24	E-524-24	76.09	242	EI-524-24	68.39	217
530	Erectomatic Clip	12	C-530-12	53.90	149	CI-530-12	49.10	134
		18	C-530-18	63.10	186	CI-530-18	57.10	166
		24	C-530-24	74.90	231	CI-530-24	67.20	206
	Erectomatic	12	E-530-12	57.00	156	EI-530-12	52.22	141
		18	E-530-18	67.26	196	EI-530-18	61.26	176
		24	E-530-24	79.86	244	EI-530-24	72.16	219
531	Erectomatic Clip	12	C-531-12	58.10	157	CI-531-12	53.30	142
		18	C-531-18	68.70	200	CI-531-18	62.70	180
		24	C-531-24	82.60	249	CI-531-24	74.90	224
	Erectomatic	12	E-531-12	61.22	165	EI-531-12	56.42	150
		18	E-531-18	72.86	221	EI-531-18	66.86	191
		24	E-531-24	87.56	264	EI-531-24	79.86	239
537	Erectomatic Clip	12	C-537-12	113.46	283	CI-537-12	108.66	268
		18	C-537-18	135.26	362	CI-537-18	129.26	342
		24	C-537-24	160.56	456	CI-537-24	152.86	436
	Erectomatic	12	E-537-12	118.92	297	EI-537-12	114.12	282
		18	E-537-18	142.54	381	EI-537-18	136.54	361
		24	E-537-24	169.24	482	EI-537-24	161.54	462



**MODEL 541**

18" and 24" deep  
Milling cutter insert provides approx. 24 sq. ft. of steel peg board. 75 pegs and check hooks included.  
18 openings 6" x 6"  
3 openings 12" x 9"  
2 openings 18" x 9"  
1 opening 36" x 12"

**MODEL 544**

12" and 18" deep  
1 opening 36" x 12"  
6 openings 12" x 6"  
2 openings 18" x 12"  
1—32 drawer insert  
1—24 drawer insert  
1—18 drawer insert  
1—12 drawer insert  
Each drawer includes 2 dividers

**MODEL 545**

12", 18" and 24" deep  
84 Shelf Boxes  
5 1/16" W x 4 1/4" H  
Each with 2 adj. dividers



MODEL NO.	TYPE	Depth Inches	INDIVIDUAL or STARTING UNITS			ADJOINING UNITS		
			Catalog Number	Price Each	Approx. Shipping Wt.	Catalog Number	Price Each	Approx. Shipping Wt.
541	Erectomatic Clip	18	C-541-18	\$179.60	300	CI-541-18	\$173.60	281
		24	C-541-24	191.40	344	CI-541-24	183.70	319
	Erectomatic	18	E-541-18	183.76	311	EI-541-18	177.76	292
		24	E-541-24	196.36	359	EI-541-24	188.66	334
544	Erectomatic Clip	12	C-544-12	204.96	353	CI-544-12	200.16	338
		18	C-544-18	238.06	468	CI-544-18	232.06	448
	Erectomatic	12	E-544-12	208.47	362	EI-544-12	203.67	347
		18	E-544-18	242.74	480	EI-544-18	236.74	460
545	Erectomatic Clip	12	C-545-12	309.86	504	CI-545-12	305.06	489
		18	C-545-18	356.16	637	CI-545-18	350.16	617
		24	C-545-24	410.45	775	CI-545-24	402.75	750
	Erectomatic	12	E-545-12	315.71	519	EI-545-12	310.91	504
		18	E-545-18	363.96	658	EI-545-18	357.96	638
		24	E-545-24	419.75	803	EI-545-24	412.05	778

## LEDGE

**MODEL 550**

12" and 18" deep above  
18" and 24" deep below  
4 adj. shelves above ledge  
3 adj. shelves below ledge

**MODEL 554**

12" and 18" deep above  
18" and 24" deep below  
4 adj. shelves above ledge  
3 adj. shelves below ledge

MODEL NO.	TYPE	DEPTH, INCHES		INDIVIDUAL or STARTING UNITS			ADJOINING UNITS		
		Above Ledge	Below Ledge	Catalog Number	Price Each	Approx. Shipping Wt.	Catalog Number	Price Each	Approx. Shipping Wt.
550	Erectomatic Clip	12	18	C-550-1218	\$ 68.99	170	CI-550-1218	\$ 59.99	147
		12	24	C-550-1224	74.14	192	CI-550-1224	64.04	166
		18	24	C-550-1824	76.94	208	CI-550-1824	66.74	181
	Erectomatic	12	18	E-550-1218	72.47	177	EI-550-1218	63.47	154
		12	24	E-550-1224	77.62	199	EI-550-1224	67.52	173
		18	24	E-550-1824	81.24	218	EI-550-1824	71.04	191
554	Erectomatic Clip	12	18	C-554-1218	60.07	129	CI-554-1218	51.57	110
		12	24	C-554-1224	65.22	146	CI-554-1224	55.62	127
		18	24	C-554-1824	66.22	158	CI-554-1824	57.52	138
	Erectomatic	12	18	E-554-1218	63.55	136	EI-554-1218	55.05	117
		12	24	E-554-1224	68.70	153	EI-554-1224	59.10	134
		18	24	E-554-1824	70.52	168	EI-554-1824	61.82	148

## COUNTER


All units are 36" wide, 3'3" high in the following depths with Class 0 shelves.

**MODEL 560**

18" and 24" deep, 3'3" high  
3 adj. shelves

MODEL NO.	TYPE	Depth Inches	INDIVIDUAL UNITS			STARTING UNITS		
			Catalog Number	Price Each	Approx. Shipping Wt.	Catalog Number	Price Each	Approx. Shipping Wt.
560	Erectomatic Clip	18	C-560-18	\$ 42.10	115	CS-560-18	\$ 42.00	114
		24	C-560-24	48.20	128	CS-560-24	48.15	127
	Erectomatic	18	E-560-18	43.66	119	ES-560-18	43.56	118
		24	E-560-24	50.06	133	ES-560-24	50.01	132
	Erectomatic Clip	18	INTERMEDIATE UNITS			ENDING UNITS		
		24	CI-560-18	36.50	100	CE-560-18	37.10	101
	Erectomatic	18	CI-560-24	40.85	111	CE-560-24	42.75	112
		24	EI-560-18	38.06	104	EE-560-18	38.66	105
			EI-560-24	42.71	116	EE-560-24	44.61	117

## CABINETS

**MODEL 570**

18" and 24" deep  
6 shelves  
Swinging doors include pair of brushed chrome handles with cylinder lock.

**MODEL 575**

18" and 24" deep  
6 shelves  
Sliding doors include cylinder lock.

MODEL NO.	TYPE	Depth Inches	INDIVIDUAL UNITS or STARTING UNITS			ADJOINING UNITS		
			Catalog Number	Price Each	Approx. Shipping Wt.	Catalog Number	Price Each	Approx. Shipping Wt.
570	Erectomatic Clip	18	C-570-18	\$ 85.08	206	CI-570-18	\$ 80.08	186
		24	C-570-24	94.08	237	CI-570-24	86.38	212
	Erectomatic	18	E-570-18	89.20	214	EI-570-18	83.20	194
		24	E-570-24	97.80	248	EI-570-24	90.10	223
575	Erectomatic Clip	18	C-575-18	98.58	230	CI-575-18	92.58	210
		24	C-575-24	106.58	261	CI-575-24	98.88	236
	Erectomatic	18	E-575-18	101.70	238	EI-575-18	95.70	218
		24	E-575-24	110.30	272	EI-575-24	102.60	247




## SHELVING ACCESSORIES



SHELF



SHELF BOX




FULL DIVIDERS



PARTIAL DIVIDER

NOTE—Storage wall units are also useful for small parts storage in Erectomatic shelving. The case can be bolted directly to shelves see page 7.



Description	Dimensions			Catalog No.	Price	Approx. Ship. Wt. Lbs.
	Width	Height	Depth			
Shelves	36"	—	12"	5130-3612	\$2.40	8
	36"	—	18"	5130-3618	3.10	11.2
	36"	—	24"	5130-3624	3.95	14.4
Shelf Supports	—	—	12"	E-5132-12	.75 pr.	1.0 pr.
	—	—	18"	E-5132-18	.88 pr.	1.4 pr.
	—	—	24"	E-5132-24	.98 pr.	1.9 pr.
Shelf Clips	—	—	—	C-5133	.09	.08
Shelf Boxes	5 $\frac{5}{16}$ "	4 $\frac{5}{8}$ "	11 $\frac{3}{4}$ "	5360-0512	2.30	3
	5 $\frac{5}{16}$ "	4 $\frac{5}{8}$ "	17 $\frac{3}{4}$ "	5360-0518	2.70	3.9
Partial Divider	—	2"	18"	5250-1802	.42	.6
Full Dividers	—	6"	12"	5240-1206	.50	1
	—	9"	12"	5240-1209	.55	1.3
	—	12"	12"	5240-1212	.60	1.6
	—	6"	18"	5240-1806	.60	1.2
	—	9"	18"	5240-1809	.70	1.8
	—	12"	18"	5240-1812	.80	2.4
	—	6"	24"	5240-2406	.70	1.7
	—	9"	24"	5240-2409	.90	2.4
	—	12"	24"	5240-2412	1.10	3.1
Shelf Reinforcing Channels	36"	—	—	5082-36	.56	2.5